


| REVISIONS |                   |          |          |
|-----------|-------------------|----------|----------|
| REV       | DESCRIPTION       | DATE     | APPROVED |
| 1         | Chg. PCB material | 10/20/09 |          |
|           |                   |          |          |
|           |                   |          |          |
|           |                   |          |          |



2. Must be RoHS Compliant  
 Location of plated thru holes are to held at ±.005  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BREE ENGINEERING. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF BREE ENGINEERING IS PROHIBITED.

|  |  |              |   |
|--|--|--------------|---|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES & TOLERANCES ARE:<br>.XXX .XX ANGLES<br>±.005 ±.01 | CAD GENERATED DRAWING DO NOT MANUALLY UPDATE |              | BEE BREE ENGINEERING                    |
|  | DWN LN                                       | DATE 12/8/10 |   |
| MATERIAL<br>Nelco 4000-13EP  | CHK  |              | OUTLINE                                 |
|  | RESP ENG                                     |              |   |
| FINISH<br>Nickel<br>QQ-N-290A<br>over copper   | MFG ENG                                      |              | SIZE CAGE CODE DWG NO<br>B 1K3H5 700192 |
|  | QUAL ENG                                     |              |   |
| Scale for REFERENCE ONLY   |  |              | REV 1                                   |
| SCALE TBD  |  |              | SHEET 1 OF 1                            |