


20 Dec 2012 08:00:13

CH1 S22 LOG 5 dB/REF 0 dB
 CH2 S21 LOG 10 dB/REF 0 dB

1:-24.173 dB 1 575.000 000 MHz
 1:-2.3331 dB



CH1 Markers

2:-17.392 dB
 1.56500 GHz
 3:-19.668 dB
 1.58500 GHz
 4:-46.260 dB
 1.42500 GHz
 5:-38.320 dB
 1.80000 GHz

CH2 Markers

2:-2.4738 dB
 1.56500 GHz
 3:-2.4974 dB
 1.58500 GHz
 4:-37.299 dB
 1.42500 GHz
 5:-33.531 dB
 1.80000 GHz



Bree Engineering 1K3H5

P/N 802998 CH2

S/N 2791-1- 5

BY: Rc DATE: 12-20-12

P/N 802998

CH 2 L1

	Center Frequency	1575	MHz	typ	
Insertion Loss(1565 to 1585 MHz)	4.0	dBa	max	<u>2.49</u>	
Passband (1562 to 1588 MHz)	1.0	dBc	max	<u>.16</u>	
Return Loss(1565 to 1585 MHz)	14.0	dB	max	<u>>15</u>	
Rejection					
	1425 MHz	30	dBc	min	<u>34.9</u>
	1800 MHz	30	dBc	min	<u>31.1</u>